

SAFETY DATA SHEET

Current Revision: 2, 6/22/2016 Prepared By: Ben Ward, Product Engineer

I.IDENTIFICATION

EMERGENCY PHONE:

CHEMTREC- (800) 424-9300

CCN: 19481

PRODUCT NAME: STM-750

SYNONYMS: Synthetic coolant/lubricant.

Salem Fabrication Supplies 5901 Gun Club Road Winston-Salem, NC 27103 Information: **(800)** 234-1982

Recommended Use:

Synthetic grinding fluid for industrial and professional production.

Restrictions:


N/A

II.HAZARD IDENTIFICATION

Classification (§1910.1200):

Not a hazardous substance according to GHS regulations.

Signal Word/Symbols: NFPA 704



N/A

Hazard Statement:

N/A

GO BEYOND THE EDGE

NORTH CAROLINA - HQ
5901 Gun Club Road
Winston-Salem, NC 27103
Office: 800.234.1982 | 336.766.1104

CALIFORNIA

10125 Shoemaker Avenue Santa Fe Springs, CA 90670 **Office:** 800.445.6339 | 562.944.6155 PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 **Office:** 724.212.3749 WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 **Office:** 360.993.5644 ONTARIO - CANADA Greater Toronto Area Office: 844.858.7444

www.SalemFTG.com

Salem Fabrication Supplies is a division of Salem Fabrication Technologies Group, Inc. | We Are 100% Employee Owned



Precautionary Statement:

N/A

Miscellaneous Hazards:

Exposure may aggravate pre-existing eye, skin, or respiratory conditions. May be harmful to environment if released in large quantities.

Unknown Acute Toxicity Statement:

8.00% of the mixture contains ingredients of unknown acute toxicity.

III.COMPOSITION			
CHEMICAL NAME:	COMMON NAMES:	CAS:	% BY WEIGHT:
Triethanolamine		102-71-6	<10

Classified Impurities and Additives:

N/A

IV.FIRST AID MEASURES

Inhalation:

When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact:

Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact:

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

GO BEYOND THE EDGE

Office: 800.445.6339 | 562.944.6155



Ingestion:

Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Symptoms/Effects:

Symptoms/Injuries: May cause irritation of eyes, skin, digestive, and respiratory tract.

Chronic Symptoms: None known.

Level Of Medical Attention Needed:

Never give anything by mouth to an unconscious person. If you feel unwell or concerned, seek medical advice (show the label where possible).

V. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media:

Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Specific Hazards:

Product is not flammable or explosive.

Special Protective Equipment:

Do not enter fire area without proper protective equipment, including respiratory protection.

VI.ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Use appropriate personal protection equipment (PPE). Avoid breathing (vapor, mist, spray). Avoid contact with eyes, skin, or clothing. When spilled, product may create a slip hazard.

Protective Equipment:

Gloves. Protective clothing. Protective goggles.

GO BEYOND THE EDGE



Emergency Procedures:

Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Methods for Cleanup/Removal:

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill in accordance with local, regional, national, and international regulations.

VII.HANDLING AND STORAGE

Handling Precautions:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, and spray. Avoid contact with skin, eyes and clothing. Avoid the formation of mists in the atmosphere.

Safe Storage Conditions:

Prevent from freezing. Keep container closed when not in use. Store in a dry, cool place. Keep/store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatibilities:

Strong acids, bases, and oxidizers.

VIII.EXPOSURE CONTR	III.EXPOSURE CONTROLS AND PROTECTIVE EQUIPMENT	
OSHA PEL: N/A	ACGIH TLV: TWA 5 mg/m ³	OTHER EXPOSURE LIMITS:

GO BEYOND THE EDGE

CALIFORNIA



Appropriate Engineering Controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Measures:

Chemically resistant protective clothing and gloves. Chemical safety goggles. If exposure limits are exceeded, or irritation experienced, wear approved respiratory protection.

IX.PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Light amber/clear liquid.

Odor: N/A	Odor Threshold: N/A	Ph: 9.00-9.35
Melting/Freezing Point: < 32 °F (0 °C)	Boiling Point: > 212 °F (100 °C)	Boiling Range: N/A
Flash Point: N/A	Evaporation Rate: N/A	Flammability (Solid, Gas):
Upper/Lower Flammability/Explosive Limit: N/A	Vapor Pressure: N/A	Vapor Density: N/A
Relative Density: 1.061	Solubility (ies): Water, complete	Partition Coefficient: NOctanol/Water:
		N/A

GO BEYOND THE EDGE



Auto Ignition Temperature: N/A	Decomposition Temperature: N/A	Viscosity: N/A
--------------------------------	--------------------------------	-------------------

X.STABILITY AND REACTIVITY

Reactivity:

Hazardous reactions will not occur under normal conditions.

Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

Conditions to Avoid: Static Discharge, Shock, Vibrations, Etc.

Direct sunlight, extremely high or low temperatures, and incompatible materials. Do not freeze.

Incompatible Materials:

Strong acids, strong bases, and strong oxidizers.

Hazardous Decomposition Products:

Thermal decomposition generates: Carbon oxides (CO, CO2). Nitrogen oxides. Acrid smoke and irritating fumes.

XI.TOXICOLOGICAL INFORMATION

Possible Exposure Routes (Inhalation Etc.):

Inhalation, ingestion, and skin and eye contact.

Symptoms Related To Toxicological Characteristics:

Skin, eye, and respiratory irritation. Ingestion may cause adverse effects. May cause allergic skin reaction.

GO BEYOND THE EDGE

CALIFORNIA



Delayed, Immediate, and Chronic Effects:

See above. No known chronic effects.

Numerical Toxicity Measurements:

LD50 Oral Rat 6400mg/kg LD50 Dermal Rabbit >2000mg/kg

NTP/IARC/OSHA Known Carcinogen:

IARC: Group 3

XII.ECOLOGICAL INFORMATION

Ecotoxicity:

Not established. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence and Degradability:

Not established.

Bioaccumulative Potential:

BCF Fish 1: 3.9 Log Pow: -2.53

Soil Mobility:

No information available.

Other Adverse Effects:

Avoid release to the environment.

XIII.DISPOSAL CONSIDERATIONS

Waste Residue and Disposal:

GO BEYOND THE EDGE

Office: 724.212.3749



Dispose of contents/container in accordance with local, regional, national, and international regulations.

UN Number: N/A	UN Proper Shipping	Transport Hazard Class (es):	
	Name:	N/A	
	N/A		
Packing Group:		Transport in Bulk (Annex LI	
N/A	Environmental Hazards: N/A	MARPOL 73/78 and IBC Code)	

Special Precautions:

N/A

XV.REGULATORY INFORMATION

Environmental/ Health/ Safety:

All ingredients listed on the US TSCA (Toxic Substances Control Act)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

XVI. OTHER INFORMATION

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Salem Fabrication Supplies. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or in any process. Salem Fabrication Supplies assumes no legal responsibility for use of or reliance upon this information.

GO BEYOND THE EDGE