

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 03/01/2016 Date of issue: 03/01/2016 Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier
Product Form: Mixture
Product Name: STM-CUT 6

1.2. Intended Use of the Product

Use of the substance/mixture: Glass scoring fluid.

1.3. Name, Address, and Telephone of the Responsible Party

Company

Salem Fabrication Supplies 5901 Gun Club Road Winston-Salem, NC 27103

(336) 766-1104___ (800) 234-1982

1.4. Emergency Telephone Number

Emergency Number : Chemtrec - USA: 1-800-424-9300 Outside USA: 1-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Skin Irrit. 2 H315 STOT

SE 3 H336

Asp. Tox. 1 H304 Full text of H-phrases: see section 16

2.2. Label Elements

GHS-US Labeling

GHS07 GHS08

Signal Word (GHS-US) : Danger

GO BEYOND THE EDGE

NORTH CAROLINA - HQ
5901 Gun Club Road
Winston-Salem, NC 27103
Office: 800.234.1982 | 336.766.1104

CALIFORNIA

10125 Shoemaker Avenue Santa Fe Springs, CA 90670

Office: 800.445.6339 | 562.944.6155

PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 **Office:** 724.212.3749 WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 Office: 360.993.5644 ONTARIO - CANADA Greater Toronto Area Office: 844.858.7444

www.SalemFTG.com



Hazard Statements (GHS-US) : H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness.

Precautionary Statements (GHS-US): P261 - Avoid breathing vapors, mist, or spray.

 $\ensuremath{\mathsf{P264}}$ - Wash hands, forearms, and other exposed areas thoroughly after

handling.

P280 - Wear protective gloves, protective clothing, and eye protection. P301+P310 - If swallowed: Immediately call a poison center or doctor.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position

comfortable for breathing.

P312 - Call a poison center or doctor if you feel unwell. P321 - Specific treatment (see section 4 on this SDS).

P331 - Do NOT induce vomiting.

 ${\tt P332+P313-If}\ skin\ irritation\ occurs:\ Get\ medical\ advice/attention.$

P362 - Take off contaminated clothing and wash it before reuse.

 ${\sf P403+P233-Store\ in\ a\ well-ventilated\ place}.\ Keep\ container\ tightly\ closed.$

 ${\tt P501-Dispose\ of\ contents/container\ in\ accordance\ with\ local,\ regional,\ national,}$

and international regulations.

Hazard Pictograms (GHS-US)





GO BEYOND THE EDGE



- 2.3. Other Hazards Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Toxic to aquatic life with long lasting effects.
- 2.4. **Unknown Acute Toxicity (GHS-US)**

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)
Petroleum distillates, hydrotreated light	(CAS No) 64742-47-8	< 50	Flam. Liq. 4, H227 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Proprietary additive	(CAS No) Proprietary	< 2	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]. Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. **Description of First Aid Measures**

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician. If vomiting occurs, keep head below waistline.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Causes skin irritation. May cause drowsiness and dizziness. May be fatal if swallowed and enters airways. Symptoms/Injuries After Inhalation: High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

GO BEYOND THE EDGE



Symptoms/Injuries After Ingestion: Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury.

Chronic Symptoms: Repeated exposure may cause skin dryness or cracking.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory

protection. Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Avoid all contact with skin, eyes, or clothing.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. **6.4.**

Reference to Other Sections

See Section 8, Exposure Controls and Personal Protection. See Section 13, Disposal Considerations.

GO BEYOND THE EDGE

Office: 724.212.3749

WASHINGTON



SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Ensure adequate ventilation. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with eyes, skin and clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. **Incompatible Products:** Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Glass scoring fluid.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

Petroleum distillates, hydrotreated light (64742-47-8)		
USA ACGIH	ACGIH TWA (mg/m³)	200 mg/m³ (total hydrocarbon vapor)

8.2. Exposure Controls

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing Hand Protection Eye Protection Skin and Body Protection Respiratory Protection

- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

GO BEYOND THE EDGE

NORTH CAROLINA – HQ
5901 Gun Club Road
Winston-Salem, NC 27103
Office: 800.234.1982 | 336.766.1104

CALIFORNIA

10125 Shoemaker Avenue Santa Fe Springs, CA 90670 **Office:** 800.445.6339 | 562.944.6155 PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 Office: 724.212.3749 WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 **Office:** 360.993.5644 ONTARIO - CANADA Greater Toronto Area Office: 844.858.7444

www.SalemFTG.com



Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State : Liquid

Appearance : Light amber/clear Odor : No data available **Odor Threshold** : No data available : No data available pН **Evaporation Rate** : No data available : No data available **Melting Point Freezing Point** : No data available **Boiling Point** : No data available **Flash Point** : > 250 °F (> 121 °C) **Auto-ignition Temperature** : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : No data available **Vapor Pressure** : No data available Relative Vapor Density at 20 °C : No data available **Relative Density** : No data available

Specific Gravity : 0.863
Solubility : Insoluble

Partition Coefficient: N-Octanol/Water : No data available Viscosity : 8.3 cSt @ 40 °C

9.2. Other Information

VOC content : 53.6 % (ASTM D2369, As Per EPA Test 24)

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity: Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4.** Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- **10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- **10.6. Hazardous Decomposition Products:** Thermal decomposition generates: Carbon oxides (CO, CO₂). Sulfur oxides. Metal oxides. Hydrogen sulfide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

Petroleum distillates, hydrotreated light (64742-47-8)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg

GO BEYOND THE EDGE

NORTH CAROLINA - HQ
5901 Gun Club Road
Winston-Salem, NC 27103
Office: 800.234.1982 | 336.766.1104

10125 Shoemaker Avenue Santa Fe Springs, CA 90670 **Office:** 800.445.6339 | 562.944.6155

CALIFORNIA

PENNSYLVANIA
2330 Greensburg Road
New Kensington, PA 15068
Office: 724.212.3749

WASHINGTON
3801 NE 109th Ave. Suite C
Vancouver, WA 98682
Office: 360.993.5644

ONTARIO – CANADA Greater Toronto Area Office: 844.858.7444 www.SalemFTG.com



LC50 Inhalation Rat > 5.2 mg/l/4h

Skin Corrosion/Irritation: Causes skin irritation. **Serious Eye Damage/Irritation:** Not

classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): May cause drowsiness or

dizziness. **Specific Target Organ Toxicity (Repeated Exposure):** Not classified **Aspiration Hazard:** May be fatal if swallowed and enters

airways.

Symptoms/Injuries After Inhalation: High concentrations may cause central nervous system depression such as

dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Aspiration into the lungs can occur during ingestion or vomiting and may cause lung

injury. Chronic Symptoms: Repeated exposure may cause skin dryness or cracking.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Toxic to aquatic life with long lasting effects.

Petroleum distillates, hydrotreated light (64742-47-8)	
LC50 Fish 1 45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC 50 Fish 2	2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

12.2. Persistence and Degradability Not established 12.3. Bioaccumulative Potential

Petroleum distillates, hydrotreated light (64742-47-8)	
BCF fish 1	61 - 159

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

GO BEYOND THE EDGE

NORTH CAROLINA - HQ
5901 Gun Club Road
Winston-Salem, NC 27103
Office: 800.234.1982 | 336.766.1104

CALIFORNIA 10125 Shoema

10125 Shoemaker Avenue Santa Fe Springs, CA 90670 **Office:** 800.445.6339 | 562.944.6155 PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 Office: 724.212.3749 WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 **Office:** 360.993.5644 ONTARIO – CANADA Greater Toronto Area Office: 844.858.7444

www.SalemFTG.com

Salem Fabrication Supplies is a division of Salem Fabrication Technologies Group, Inc. | We Are 100% Employee Owned



Additional Information: Container may remain hazardous when empty. Continue to observe all precautions. **Ecology – Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

STM-CUT 6		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
EPA TSCA Regulatory Flag	Flag All components in the mixture are listed on the United States TSCA	
	(Toxic Substances Control Act) inventory.	

15.2 US State Regulations

Neither this product nor its chemical components appear on any US state lists.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 03/01/2016

Other Information : This document has been prepared in accordance with the SDS requirements of the

OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text

Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Phrases:

GO BEYOND THE EDGE

NORTH CAROLINA - HQ
5901 Gun Club Road
Winston-Salem, NC 27103
Office: 800.234.1982 | 336.766.1104

CALIFORNIA 10125 Shoema

10125 Shoemaker Avenue Santa Fe Springs, CA 90670 **Office:** 800.445.6339 | 562.944.6155 PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 **Office:** 724.212.3749 WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 **Office:** 360.993.5644 ONTARIO – CANADA Greater Toronto Area Office: 844.858.7444 www.SalemFTG.com



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

GO BEYOND THE EDGE