

# SAFETY DATA SHEET

Current Revision: 1, 3/11/2016

Prepared By: Ben Ward, Product Engineer

Salem Fabrication Supplies

Winston-Salem, NC 27103

Information: (800) 234-1982

5901 Gun Club Road

**I. IDENTIFICATION** 

EMERGENCY PHONE:

CHEMTREC- (800) 424-9300

CCN: 19481

**PRODUCT NAME: Salem White Alpha Alumina** 

SYNONYMS: Aluminum Oxide

#### **Recommended Use:**

Industrial polishing and material removal Restrictions:


N/A

## **II. HAZARD IDENTIFICATION**

#### Classification (§1910.1200):

Not classified as hazardous according to GHS regulations.

Signal Word/Symbols:



#### **Hazard Statement:**

Harmful if swallowed.

# GO BEYOND THE EDGE

#### NORTH CAROLINA - HQ

5901 Gun Club Road Winston-Salem, NC 27103 **Office:** 800.234.1982 | 336.766.1104 CALIFORNIA

10125 Shoemaker Avenue Santa Fe Springs, CA 90670 **Office:** 800.445.6339 | 562.944.6155

#### PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 Office: 724.212.3749

#### WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 **Office:** 360.993.5644

## ONTARIO - CANADA

Greater Toronto Area Office: 844.858.7444 www.SalemFTG.com



May cause minor skin or eye irritation. Particulate may scratch cornea or cause other mechanical eye injury.

If Inhaled; may cause respiratory irritation through single use, or cause damage to lungs through prolonged or repeated exposure to concentrations in excess of the PEL or TVL without respiratory protection. This may also decrease the ability of the lungs to clear particulate matter which may cause shortness of breath and increase susceptibility to respiratory disease.

#### **Precautionary Statement:**

Wash hands thoroughly after use.

Wear protective gloves and eye/face protection.

Do not breathe dust. Do not use compressed air or dry sweeping to remove dust from work areas.

Wear respiratory protection for concentrations in excess of the PEL or TVL.

Store in dry area in closed containers.

Dispose of according to applicable federal, state and local regulation.

#### **Miscellaneous Hazards:**

N/A

#### **Unknown Acute Toxicity Statement:**

N/A

III. COMPOSITION			
CHEMICAL NAME:	COMMON NAMES:	CAS:	% BY WEIGHT:
Alumina	Aluminum Oxide	1344-28-1	>99

#### **Classified Impurities and Additives:**

N/A

## IV. FIRST AID MEASURES

# GO BEYOND THE EDGE

#### **NORTH CAROLINA - HQ** 5901 Gun Club Road

CALIFORNIA

 5901 Gun Club Road
 10125 Shoemaker Avenue

 Winston-Salem, NC 27103
 Santa Fe Springs, CA 90670

 Office: 800.234.1982|336.766.1104
 Office: 800.445.6339|562.944.6155

#### PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 **Office:** 724.212.3749

#### WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 **Office:** 360,993.5644

#### ONTARIO – CANADA

Greater Toronto Area Office: 844.858.7444 www.SalemFTG.com



#### Inhalation:

If inhalation of high concentrations occurs, move to fresh air. If breathing has stopped, a certified professional should give CPR. Seek immediate medical attention.

#### **Skin Contact:**

Wash contaminated area with soap and water. Wash contaminated clothing. Seek medical attention if symptoms persist.

#### Eye Contact:

Flush eyes with lukewarm water for 15 minutes, opening and closing eyelids to ensure adequate rinsing. If redness, irritation, pain, or tearing occurs, seek medical attention.

#### Ingestion:

Do not induce vomiting unless suggested by a doctor. Seek medical attention.

#### Symptoms/Effects:

Irritation

#### Level Of Medical Attention Needed:

Seek medical attention if ingested or systems persist.

## V. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media:

Use media appropriate for surrounding fire.

#### **Unsuitable Extinguishing Media:**

N/A

#### **Specific Hazards:**

N/A

#### **Special Protective Equipment:**

Firefighters should wear a NIOSH/MSHA approved full-faced self-contained breathing apparatus (SCBA) operated in positive pressure mode, and full turnout or bunker gear.

# GO BEYOND THE EDGE

#### NORTH CAROLINA - HQ

CALIFORNIA

5901 Gun Club Road Winston-Salem, NC 27103 Office: 800.234.1982 | 336.766.1104 Office: 800.445.6339 | 562.944.6155

#### PENNSYLVANIA

2330 Greensburg Road Office: 724.212.3749

#### WASHINGTON

Office: 360.993.5644

ONTARIO - CANADA Office: 844.858.7444 www.SalemFTG.com



## **VI. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions:**

Avoid dust generation. Water mist may be added as necessary to control the level of airborne dusts.

#### **Protective Equipment:**

Respiratory protection for clean-up personnel depends on the level of exposure anticipated. Use goggles and gloves.

#### **Emergency Procedures:**

Isolate hazard area and deny entry to unauthorized and/or unprotected personnel.

#### Methods for Cleanup/Removal:

Gently shovel or scoop into clean dry container for later recycle or disposal.

## VII. HANDLING AND STORAGE

#### Handling Precautions:

Prevent formation of dust, and avoid dust inhalation. Use only in well ventilated areas. Any deposit of dust that cannot be avoided must be regularly removed. DO NOT use compressed air or dry sweeping to remove dust from work area. Wash thoroughly with plenty of water.

#### Safe Storage Conditions:

Store in dry area in closed containers. Protect from high humidity and water. Store receptacle in a well ventilated area.

#### Incompatibilities:

Store away from oxidizing agents. Store away from foodstuffs.

## VIII. EXPOSURE CONTROLS AND PROTECTIVE EQUIPMENT

## GO BEYOND THE EDGE

#### NORTH CAROLINA - HQ

5901 Gun Club Road Winston-Salem, NC 27103 Office: 800.234.1982 | 336.766.1104

#### CALIFORNIA

10125 Shoemaker Avenue Santa Fe Springs, CA 90670 **Office:** 800.445.6339 | 562.944.6155

#### PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 **Office:** 724.212.3749

#### WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 **Office:** 360.993.5644

#### ONTARIO – CANADA Greater Toronto Area Office: 844.858.7444

www.SalemFTG.com



OSHA PEL:	ACGIH TLV:	OTHER EXPOSURE LIMITS:
Aluminum Oxide:	Aluminum Oxide: 1mg/m <sup>3</sup>	m <sup>3</sup> N/A
15mg/m <sup>3</sup> resp fraction		
15mg/m <sup>3</sup> total dust		

#### **Appropriate Engineering Controls:**

Use general ventilation. Local exhaust may be necessary for processes which generate large quantities of airborne dust. Keep exposures below applicable OSHA PEL's and ACGIH-TLV's.

#### **Personal Protective Measures:**

Under normal working conditions below acceptable exposure guidelines, none is required. For concentrations above the PEL but less than 10X the PEL, a NIOSH/OSHA approved dust mist respirator should be worn. Appropriate respirator selection will be dependent upon the magnitude of exposure and should be selected in accordance with 29 CFR 1910.134. Protective gloves, as needed, to prevent skin contact.

Safety-glasses with side shields or goggles to prevent dust and particles from entering the eye. See OSHA 29 CFR 1910.133.

Under dusty conditions, employees should wear coveralls or other suitable work clothing. Contaminated clothing must be vacuumed before removal. DO NOT REMOVE dust from clothing by blowing or shaking. Keep away from foodstuff, beverages and feed.

## **IX. PHYSICAL AND CHEMICAL PROPERTIES**

#### Appearance: White

powder

Odor:	Odor Threshold:	Ph:
		9-10.5
None	None	

# GO BEYOND THE EDGE

#### NORTH CAROLINA - HQ

5901 Gun Club Road Winston-Salem, NC 27103 **Office:** 800.234.1982 | 336.766.1104 **CALIFORNIA** 10125 Shoemaker Avenue Santa Fe Springs, CA 90670

#### PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 **Office:** 724.212.3749

#### WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 Office: 360.993.5644

#### ONTARIO – CANADA

Greater Toronto Area Office: 844.858.7444 www.SalemFTG.com

Salem Fabrication Supplies is a division of Salem Fabrication Technologies Group, Inc. | We Are 100% Employee Owned

Office: 800.445.6339 | 562.944.6155



Melting/Freezing Point:	Boiling Point:	Boiling Range:
3722°F (2050°C)	N/A	N/A
Flash Point:	Evaporation Rate:	Flammability (Solid, Gas):
N/A	None	N/A
Upper/Lower Flammability/Explosive Limit: N/A	Vapor Pressure: N/A	Vapor Density: N/A
Relative Density: 3.95 gm/cc	<b>Solubility (ies):</b> Slight solubility in acids and alkalis	Partition Coefficient: NOctanol/Water: N/A
<b>Auto Ignition Temperature:</b>	Decomposition Temperature:	Viscosity:
N/A	N/A	N/A

## **X. STABILITY AND REACTIVITY**

#### **Reactivity:**

N/A

#### **Chemical Stability:**

Stable under normal ambient conditions of temperature and pressure.

#### **Possibility of Hazardous Reactions:**

Reacts with strong acids, oxidizing agents, and with strong alkali.

#### Conditions to Avoid: Static Discharge, Shock, Vibrations, Etc.

No further relevant information available.

#### **Incompatible Materials:**

# GO BEYOND THE EDGE

#### NORTH CAROLINA – HQ

5901 Gun Club Road Winston-Salem, NC 27103 Office: 800.234.1982 | 336.766.1104

# CALIFORNIA

Santa Fe Springs, CA 90670 Office: 800.445.6339 | 562.944.6155

#### PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 Office: 724.212.3749

#### WASHINGTON

Office: 360.993.5644

## ONTARIO - CANADA

Office: 844.858.7444 www.SalemFTG.com



Reacts with strong acids, oxidizing agents, and with strong alkali.

#### **Hazardous Decomposition Products:**

Toxic metal oxide smoke.

## XI. TOXICOLOGICAL INFORMATION

#### Possible Exposure Routes (Inhalation Etc.):

Eye, skin, inhalation, and ingestion.

#### Symptoms Related To Toxicological Characteristics:

Particulate matter may cause physical injury to the eye.

May cause respiratory irritation through single use. May cause damage to lungs or pulmonary disease through prolonged/repeated exposure to dust.

May cause minor skin irritation.

Ingestion of large quantities may result in gastrointestinal irritation and eventually interference with phosphate absorption which results in rickets.

#### Delayed, Immediate, and Chronic Effects:

N/A

Numerical Toxicity Measurements:

N/A

#### NTP/IARC/OSHA Known Carcinogen:

N/A

## **XII. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**:

Generally not hazardous for water.

#### Persistence and Degradability:

Inorganic, is not eliminable from water by means of biological cleaning processes.

#### **Bioaccumulative Potential:**

# GO BEYOND THE EDGE

#### NORTH CAROLINA - HQ

5901 Gun Club Road Winston-Salem, NC 27103 Office: 800.234.1982 | 336.766.1104

#### **CALIFORNIA** 10125 Shoemaker Avenue Santa Fe Springs, CA 90670 **Office:** 800.445.6339 | 562.944.6155

#### PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 **Office:** 724.212.3749

#### WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 **Office:** 360,993.5644

#### ONTARIO - CANADA Greater Toronto Area Office: 844.858.7444 www.SalemFTG.com



Does not accumulate in organisms.

#### Soil Mobility:

No further relevant information available.

#### **Other Adverse Effects:**

N/A

## XIII. DISPOSAL CONSIDERATIONS

#### Waste Residue and Disposal:

Dispose of according to applicable federal, state and local regulations. Dispose per 40 CFR 261 and 262.

XIV. TRANSPORT INFORMATION			
<b>UN Number:</b> N/A	UN Proper Shipping Name: N/A	Transport Hazard Class (es): N/A	
Packing Group: N/A	Environmental Hazards: N/A	Transport in Bulk (Annex LI MARPOL 73/78 and IBC Code) N/A	

#### **Special Precautions:**

N/A

## **XV. REGULATORY INFORMATION**

#### Environmental/ Health/ Safety:

TSCA: Aluminum Oxide is listed on the TSCA (Toxic Substance Control Act) inventory under CAS# 1344 -28-1.

# GO BEYOND THE EDGE

#### NORTH CAROLINA - HQ

5901 Gun Club Road Winston-Salem, NC 27103 **Office:** 800.234.1982 | 336.766.1104

### 

10125 Shoemaker Avenue Santa Fe Springs, CA 90670 **Office:** 800.445.6339 | 562.944.6155

#### PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 **Office:** 724.212.3749

#### WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 **Office:** 360.993.5644

#### ONTARIO - CANADA Greater Toronto Area Office: 844.858.7444 www.SalemFTG.com



Canadian WHMIS: D2B

SARA HAZARD CATEGORY: This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and by definition meets the requirements of the following category: *Acute Health Hazard*.

## XVI. OTHER INFORMATION

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Salem Fabrication Supplies. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or in any process. Salem Fabrication Supplies assumes no legal responsibility for use of or reliance upon this information.

# GO BEYOND THE EDGE

#### NORTH CAROLINA – HQ

5901 Gun Club Road Winston-Salem, NC 27103 **Office:** 800.234.1982 | 336.766.1104

#### CALIFORNIA

10125 Shoemaker Avenue Santa Fe Springs, CA 90670 **Office:** 800.445.6339 | 562.944.6155

#### PENNSYLVANIA

2330 Greensburg Road New Kensington, PA 15068 Office: 724.212.3749

#### WASHINGTON

3801 NE 109th Ave. Suite C Vancouver, WA 98682 **Office:** 360,993.5644

#### ONTARIO – CANADA

Greater Toronto Area Office: 844.858.7444 www.SalemFTG.com